

Product Datasheet



Technical Specification

1. Description

Petroleum Transfer Hose with Unique Double PVC Helix for Lightweight and Abrasion Resistance (Static Dissipating Tube)

2. Applications:

Transfer of petroleum, biodiesel and ethanol blends from road tanker or in-plant service.

3. Tube

Nitrile Synthetic Rubber – Static Dissipating

4. Cover

Chemivac synthetic rubber with orange & green PVC outer helix

5. Reinforcement

Synthetic Fabric Plies with Static Wire

6. Temperature

-40°C to +71°C

7. Coil Size

30.5 mtrs (Fitted assemblies available on request)

8. Colour

Black (Orange and Green Helix)

Inside Diameter		Outside Diameter		Working Pressure		Burst Pressure		Vacuum HG		Bend Radius	Weight	CMT Part Number
(mm)	(inch)	(mm)	(inch)	(psi)	(bar)	(psi)	(bar)	(mm)	(inch)	(mm)	(kg's/mtr)	
50.8	2	70.5	2.80	150	10	-	-	584	23	38	1.52	0770602
76.2	3	95.5	3.80	100	7	-	-	584	23	51	2.18	0770604
101.6	4	121.4	4.80	75	5	-	-	584	23	64	2.57	0770606

